

Work Order ID 145558

Friday, May 06, 2016 9:10:19 AM

145558

Page 1

Item ID: D350-561-045

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Dual Mirror Accessory

Start Date: 4/27/2016 Start Qty: 2.00

2

Cust Item ID:

Required Date: 5/5/2016 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan: MCS

Date:

MAY 09 2016

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
IIN-D350-561	E

100	Document Control	0.00	DAS 8 9-89	2	DAS 28 9-89	MAY 16 2016
100	DOCUMENT CONTROL					
DC	Memo	0.00				
Doc.Control -USB or Paperwork		Photocopy bluefile and create labels per PPP D350-561-045	CHG003			

105	Pick Kit	0.00				
105						
Packaging	Memo	0.00				
Packaging						

110	QC4- 100% Inspect kits for completeness	0.00				
110						
QC	Memo	0.06				
Quality Control						

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

Friday, May 06, 2016 9:10:19 AM

Item ID: D350-561-045

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Dual Mirror Accessory

Start Date: 4/27/2016 **Start Qty:** 2.00 ***2***

Cust Item ID:

Required Date: 5/5/2016 **Req'd Qty:** 2.00 ***2***

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop ***NR2***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation Description

Set Up/ Run Hours

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
---------	--------	-----------	------------	------------	---------------	-------------

120

0.00

120

Packaging

0.00

Packaging

Memo

Identify and pack for shipping as per PPP D350-561-045
LOCATION: FG010

Packaging

130

QC21- Final Inspection - Work Order Release

0.00

130

0.20

OC

Memo

Quality Control

ML5 MAY 17 2016

2m 16/05/16

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, May 06, 2016 9:10:18 AM

Page 1

Work Order ID: 145558

145558

Parent Item: D350-561-045

D350-561-045

Parent Item Name: Dual Mirror Accessory

Start Date: 4/27/2016

Required Date: 5/5/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP D05.09.15 Step 3 pick list revised per D350-561 Rev.
CKJ/JLM IPP Rev:E
add pick kit DD 10.04.19 verified by:EC IPP Rev:F 10.09.14 per
IIN revD DD verf:EC IPP REV:G 12.05.30 PER ECN 12-
596 DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN3-5A		Purchased	No			105	Each	318.0000	2	4			DAS 27 9-89

AN3-5A

Bolt

**

DAS
28
9-89

Location	Loc Qty	Loc Code
FP001	26	
m133686	2	
m134055	24	
ST350	292	
m134502	292	

D2011-101

Manufactured No

105 Each 8.0000

1 2

D2011-101

Mirror 6"

**

DAS
28
9-89

Location	Loc Qty	Loc Code
FG	2	
106348	2	
ST384	6	
141126	6	

D2012-113

Manufactured No

105 Each 11.0000

2 4

D2012-113

Clamp

**

DAS
28
9-89

Location	Loc Qty	Loc Code
ST001	6	
137088	6	
ST002	5	
113593	5	

MAY 12 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Picklist Print

Friday, May 06, 2016 9:10:19 AM

Page 2

Work Order ID: 145558

145558

Parent Item: D350-561-045

D350-561-045

Parent Item Name: Dual Mirror Accessory

Start Date: 4/27/2016

Required Date: 5/5/2016

Start Qty: 2.00

Required Qty: 2.00

D3635-3 Manufactured No

105 Each 12.0000 2 4

D3635-3

Gasket

DAS
28
9-89

Location

Loc Qty

Loc Code

ST047

12

135502

4

137215

8

**

DAS
27
9-89

NAS1149D0363J Purchased No

105 Each 2,248.000 4 8

NAS1149D0363.J

Washer

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

518

m134055

518

ST260a

1000

m134676

1000

ST263

730

m134606

730

**

DAS
27
9-89

NAS1149D0463J Purchased No

105 Each 1,420.000 2 4

NAS1149D0463.J

WASHER

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

328

M132035

21

M134508

307

ST260a

998

M134634

998

ST263

94

M134508

94

**

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____							
Misidentified ☐	☐	Past Due								

Picklist Print

Page 3

Friday, May 06, 2016 9:10:19 AM

Work Order ID: 145558

145558

Parent Item: D350-561-045

D350-561-045

Parent Item Name: Dual Mirror Accessory

Start Date: 4/27/2016

Required Date: 5/5/2016

Start Qty: 2.00

Required Qty: 2.00

MS21042L3

Purchased

No

105

Each

1,726.000

2

4

MS21042L3

Nut

DAS

0

DAS

9-89

27

9-89

Location

Loc Qty

Loc Code

FP001

100

m133790

100

GA

701

m133790

3

m134360

698

ST303

925

m134039

12

m134360

313

m134634

600

MAY 12 2016

DAS
28
9-89

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

5. PARTS LIST

Qty -041	Qty -043	Qty -045	Qty -141	Qty -143	Qty -241	Qty -243	Part Number	Description
X	1						D350-561-041	SINGLE MIRROR INSTALLATION, RH
	X						D350-561-043	DUAL MIRROR INSTALLATION, RH
	1	X		1		1	D350-561-045	MIRROR KIT
			X	1			D350-561-141	SINGLE MIRROR INSTALLATION, RH
				X			D350-561-143	DUAL MIRROR INSTALLATION, RH
					X	1	D350-561-241	SINGLE MIRROR INSTALLATION, LH
						X	D350-561-243	DUAL MIRROR INSTALLATION, LH
1		1	1		1		D2011-101	Mirror
1							D2012-101	Arm
1							D2012-103	Arm
1			1				D2012-105	Arm
					1		D2012-106	Arm
2			1		1		D2012-107	Clevis
1							D2012-109	Bracket
1			1		1		D2012-111	Bracket
4		2					D2012-113	Clamp
1			1		1		D2012-115	Bracket
4			2		2		D2022-101	Spacer
4							D2856-100-325	Abrasion Strip
1*		1*	1*		1*		D3014-1	Locknut
			1		1		D3629-1	Bracket
			1		1		D3635-1	Gasket
		2					D3635-3	Gasket
			1				D3646-1	Arm
					1		D3646-2	Arm
			1				D3646-3	Arm
					1		D3646-4	Arm
			2		2		D4070-041	Clamp
2							AN3-4A	Bolt
2		2	6		6		AN3-5A	Bolt
1			1		1		AN3-6A	Bolt
2			1		1		AN4-10A	Bolt
3			3		3		AN4-5A	Bolt
14		4	8		8		AN960JD10	Washer
9		2	8		8		AN960JD416	Washer
1*		1*	1*		1*		AN960JD416L	Washer
5		2	4		4		MS21042L3	Nut (or MS21042-3)
5			4		4		MS21042L4	Nut (or MS21042-4)

*INCLUDED AS PART OF D2011-101 MIRROR